

according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 1272/2008

Section 1. Identification of the Substance/Mixture and of the Company/Undertaking

- 1.1 Product Code:** C24
Product Name: Diesel Fuel Treatment
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**
- 1.3 Details of the Supplier of the Safety Data Sheet:**
- | | | | |
|--------------------------|---|----------------------|---------------|
| Company Name: | CYCLO INDUSTRIES, INC.
902 SOUTH US HIGHWAY 1
JUPITER, FL 33477 | Phone Number: | (800)843-7813 |
| Web site address: | www.cyclo.com | | |
| Information: | First Aid Emergency (Outside U.S.) | | (312)906-6194 |
- 1.4 Emergency telephone number:**
- | | | |
|---------------------------|-------------------------|---------------|
| Emergency Contact: | First Aid Emergency | (800)752-7869 |
| | CHEMTREC (703) 527-3887 | (800)424-9300 |

Section 2. Hazards Identification

- 2.1 Classification of the Substance or Mixture:**
- 2.1.1 Classification according to Regulation (EC) No 1272/2008 [CLP]:**
Acute Toxicity: Inhalation, Category 4
Acute Toxicity: Oral, Category 4
Acute Toxicity: Skin, Category 4
Skin Corrosion/Irritation, Category 3
Serious Eye Damage/Eye Irritation, Category 2A
Flammable Liquids, Category 3
Acute Toxicity: Oral, Category 2
- 2.1.2 Classification according to Directive 1999/45/EC:**
- 2.2 Label Elements:**
- 2.2.1 Labeling according to Regulation (EC) No 1272/2008 [CLP]:**

**GHS Signal Word:** Danger**GHS Hazard Phrases:**

H332: Harmful if inhaled.
H302: Harmful if swallowed.
H312: Harmful in contact with skin.
H316: Causes mild skin irritation.
H319: Causes serious eye irritation.
H226: Flammable liquid and vapor.
H300: Fatal if swallowed.

GHS Precaution Phrases:

P271: Use only outdoors or in a well-ventilated area.
P261: Avoid breathing dust/fume/gas/mist/vapours/spray.
P264: Wash hands thoroughly after handling.
P270: Do not eat, drink or smoke when using this product.
P280: Wear protective gloves/protective clothing/eye protection/face protection.
P362+364: Take off contaminated clothing and wash it before reuse.
P233: Keep container tightly closed.
P210: Keep away from heat/sparks/open flames/hot surfaces.

P240: Ground/bond container and receiving equipment.
 P241: Use explosion-proof electrical/ventilating/lighting equipment.
 P243: Take precautionary measures against static discharge.
 P242: Use only non-sparking tools.

GHS Response Phrases:


P301+P330+P331: IF SWALLOWED: Rinse mouth. DO NOT induce vomiting.
 P301+310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
 P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P302+352: IF ON SKIN: Wash with plenty of soap and water.
 P332+313: If skin irritation occurs, get medical advice/attention.
 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+313: If eye irritation persists, get medical advice/attention.
 P370+378: In case of fire, use carbon dioxide, foam, dry chemical or water fog to extinguish.

GHS Storage and Disposal Phrases:

P501: Dispose of contents/container in accordance with local/regional/national/international regulation.
 P403+235: Store in cool/well-ventilated place.
 P405: Store locked up.

2.2.2 Labeling according to Directive 1999/45/EC:

Hazard Rating System:



2.3 Adverse Human Health Effects and Symptoms:

Eyes: May cause burning, irritation and discomfort. May cause blurred vision.

Skin Contact: Contact may cause irritation and burning. Prolonged contact may cause severe irritation or dermatitis. May cause skin sensitization with continuous prolonged or extended contact.

Inhalation: Vapor may cause dizziness, nausea, vomiting and headache. Mist may cause breathing problems.

Ingestion: May result in vomiting. Aspiration of liquid into lungs must be avoided. Do not induce vomiting. Small amount of liquid aspirated into lungs may cause injury, chemical pneumonia possibly leading to death. Prolonged exposure may cause skin irritation or dermatitis, kidney, liver and blood problems.

Medical Conditions Generally Aggravated By Exposure: Pre-existing skin, respiratory or other disorders may be aggravated.

Section 3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	Risk Phrases/ GHS Classification
64475-85-0	Turpentine substitute	80.0 -100.0 %	NA	No data available.
111-76-2	Ethanol, 2-Butoxy-	0.0 -5.0 %	203-905-0 603-014-00-0	Xn; R20/21/22-36/38 Acute Tox.(O) 4: H302 Acute Tox.(D) 4: H312



SAFETY DATA SHEET

Diesel Fuel Treatment

Revision: 01/06/2014
Supersedes Revision: 01/27/2012Skin Corr. 2: H315
Eye Damage 2A: H319
Acute Tox.(I) 4: H332

NA Proprietary Additives

0.0 -5.0 %

NA

No data available.

NA

No data available.

Section 4. First Aid Measures

- 4.1 Description of First Aid:** If swallowed, do not induce vomiting. Rinse mouth. If inhaled, remove to fresh air. Give artificial respiration if needed. If in eye, rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. In case of skin contact, remove contaminated clothing. Wash affected area with soap and water. Call physician immediately if adverse reaction occurs.
- Measures:**

Section 5. Fire Fighting Measures

- 5.1 Suitable Extinguishing Media:** Carbon dioxide, foam, dry chemical or water fog.
- 5.2 Flammable Properties and Hazards:** No data available.
- Flash Pt:** 100.40 F (38.0 C) Method Used: Cleveland Open Cup
- Explosive Limits:** LEL: No data. UEL: No data.
- Autoignition Pt:** No data.
- 5.3 Fire Fighting Instructions:** Use self-contained breathing apparatus.

Section 6. Accidental Release Measures

- 6.3 Methods and Material For Containment and Cleaning Up:** Eliminate sources of ignition. Prevent additional discharge of material, if possible to do so without hazard. For small spills, implement cleanup procedure. For large spills, implement cleanup procedures, keep public away and advise authorities. Prevent liquid from entering sewers, waterways or low areas. Contain spilled liquid with sand or earth. Do not use combustible materials such as sawdust. Recover by pumping (use an explosion proof or hand pump) or with a suitable absorbent. If liquid is too viscous for pumping, scrape up. Remove from water surfaces by skimming or with suitable absorbents.

Section 7. Handling and Storage

- 7.1 Precautions To Be Taken in Handling:** Use only with adequate ventilation. Avoid breathing vapors. Keep out of the reach of children.
- 7.2 Precautions To Be Taken in Storing:** Store in a cool, well-ventilated place away from incompatible materials.
- Other Precautions:** Use explosion proof machinery. Assure grounding and bonding of containers is done before use of products to help prevent possible static build-up.

Section 8. Exposure Controls/Personal Protection

8.1 Exposure Parameters:

CAS #	Partial Chemical Name	Britain EH40	France VL	Europe
64475-85-0	Turpentine substitute	No data.	No data.	No data.
111-76-2	Ethanol, 2-Butoxy-	TWA: 123 mg/m ³ (25 ppm) STEL: 246 mg/m ³ (50 ppm)	TWA: 9.8 mg/m ³ (2 ppm) STEL: 147.6 mg/m ³ (30 ppm)	TWA: 98 mg/m ³ STEL: 246 mg/m ³
NA	Proprietary Additives	No data.	No data.	No data.



SAFETY DATA SHEET

Diesel Fuel Treatment

Revision: 01/06/2014
Supersedes Revision: 01/27/2012

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
64475-85-0	Turpentine substitute	No data.	No data.	No data.
111-76-2	Ethanol, 2-Butoxy-	PEL: 50 ppm	TLV: 20 ppm	No data.
NA	Proprietary Additives	No data.	No data.	No data.

8.2 Exposure Controls:

8.2.1 Engineering Controls (Ventilation etc.): Ensure adequate ventilation.

8.2.2 Personal protection equipment:

Eye Protection: Avoid contact with eyes. If splashes are likely to occur, wear goggles.

Protective Gloves: Neoprene gloves.

Other Protective Clothing: Avoid contact with skin.

Clothing:

Respiratory Equipment (Specify Type): Assure adequate ventilation to keep oil mists under safe limits. When necessary, wear proper NIOSH approved respirators or SCBA.

Section 9. Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid

Appearance and Odor: Light to colored liquid with petroleum odor.

Melting Point: No data.

Boiling Point: No data.

Flash Pt: 100.40 F (38.0 C) Method Used: Cleveland Open Cup

Evaporation Rate: No data.

Explosive Limits: LEL: No data. UEL: No data.

Vapor Pressure (vs. Air or mm Hg): No data.

Vapor Density (vs. Air = 1): > 1

Specific Gravity (Water = 1): 0.68

Solubility in Water: Insoluble

Autoignition Pt: No data.

Viscosity: 6 - 12 cSt at 100.0 C (212.0 F)

9.2 Other Information

Percent Volatile: 0.0 % by weight.

Section 10. Stability and Reactivity

10.1 Reactivity: No data available.

10.2 Stability: Unstable [] Stable [X]

10.3 Conditions To Avoid - Hazardous Reactions: No data available.

Possibility of Hazardous Reactions: Will occur [] Will not occur [X]

10.4 Conditions To Avoid - Instability: Excessive heat, sources of ignition, strong oxidizers.

10.5 Incompatibility - Materials To Avoid: Strong oxidizing agents.

10.6 Hazardous Decomposition Or Byproducts: No data available.



Section 11. Toxicological Information

11.1 Information on Toxicological Effects: No data available.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
64475-85-0	Turpentine substitute	n.a.	n.a.	n.a.	n.a.
111-76-2	Ethanol, 2-Butoxy-	n.a.	3	A3	n.a.
NA	Proprietary Additives	n.a.	n.a.	n.a.	n.a.

Section 12. Ecological Information

Section 13. Disposal Considerations

13.1 Waste Disposal Method: Disposal should be made in accordance with federal, state and local regulations.

Section 14. Transport Information

14.1 LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Consumer Commodity
DOT Hazard Class: ORM-D
UN/NA Number:

14.1 LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Flammable Liquid, n.o.s. (Turpentine Substitute/Petroleum Distillates), Ltd. Qty.
UN Number: 1993 **Packing Group:** III
Hazard Class: N.A. **ADR Classification:** 3

14.2 MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Flammable Liquid, n.o.s. (Turpentine Substitute/Petroleum Distillates), Ltd. Qty.
UN Number: 1993 **Packing Group:**
Hazard Class: N.A. **IMDG Classification:** 3

Section 15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
64475-85-0	Turpentine substitute	No	No	No
111-76-2	Ethanol, 2-Butoxy-	No	No	Yes-Cat. N230
NA	Proprietary Additives	No	No	No

CAS # Hazardous Components (Chemical Name)

Other US EPA or State Lists

64475-85-0	Turpentine substitute	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
111-76-2	Ethanol, 2-Butoxy-	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Inventory; CA PROP.65: No; CA TAC, Title 8: TAC, Title 8; MA Oil/HazMat: Yes; MI CMR, Part 5: Part 5; NC TAP: Yes - Cat.; NJ EHS: Yes - 0275; NY Part 597: No; PA HSL: Yes - 1; SC TAP: Yes - Cat.; WI Air: Yes
NA	Proprietary Additives	CAA HAP,ODC: No; CWA NPDES: No; TSCA: No; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No



SAFETY DATA SHEET

Diesel Fuel Treatment

Revision: 01/06/2014

Supersedes Revision: 01/27/2012

CAS #	Hazardous Components (Chemical Name)	International Regulatory Lists
64475-85-0	Turpentine substitute	Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes
111-76-2	Ethanol, 2-Butoxy-	Canadian DSL: Yes; Canadian NDSL: No; Taiwan TCSCA: Yes
NA	Proprietary Additives	Canadian DSL: No; Canadian NDSL: No; Taiwan TCSCA: No

European Community Hazard Symbol codes:**European Community Risk and Safety Phrases:**

No data available.

Section 16. Other Information

Revision Date: 01/06/2014**Additional Information About This Product:** No data available.**This Product:****Company Policy or Disclaimer:**

Cyclo Industries, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Cyclo Industries, Inc. makes no representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose with respect to the information set forth herein or to the product to which the information refers. Accordingly, Cyclo Industries, Inc. will not be responsible for damages resulting from use of or reliance upon this information.